Ŕ

	Application No.	Applicant(s)
	10/540,140	NINOKAWA HIBOKAZII
Notice of Allowability	Examiner	NUNOKAWA, HIROKAZU  Art Unit
	Lamson D. Nouven	2964
•	Lamson D. Nguyen	2861
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to RCE and Amendment dated 12/12/07.		
2. The allowed claim(s) is/are <u>15-21</u> .		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority und</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have</li> <li>2.  Certified copies of the priority documents have</li> <li>3.  Copies of the certified copies of the priority doc</li> </ul>	been received. been received in Application No	
<ol> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol>		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal P	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary Paper No./Mail Dat	(PTO-413), te
<ol> <li>Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 12/12/07</li> </ol>	Paper No./Mail Dat 7. ⊠ Examiner's Amendr	nent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
	9.	

Art Unit: 2861

## **DETAILED ACTION**

## Allowable Subject Matter

The following is an examiner's statement of reasons for allowance:

- The primary reasons for allowance for claims 15-19 and 21 are the inclusion of the limitations of a liquid ejecting apparatus comprising a liquid recovery section that recovers liquid that has missed a medium, wherein an amount of a second liquid that remains in the liquid recovery section when a predetermined amount of the second liquid has been rejected is larger than an amount of a first liquid that remains in the liquid recovery section when the predetermined amount of the first liquid has been ejected, wherein an ejection amount of a first liquid that reaches a region that is outside a medium is not reduced as compared with an ejection amount of the first liquid corresponding to image data to be printed, and wherein an ejection amount of a second liquid that reaches a region that is outside the medium is reduced as compared with an ejection amount of the second liquid corresponding to image data to be printed.
- The primary reasons for allowance for claim 20 is the inclusion of the limitations of a liquid ejecting method comprising the steps of not reducing an ejection amount of a first liquid that reaches a region that is outside a medium as compared with an ejection amount of the first liquid corresponding to image data to be printed, reducing an ejection amount

of a second liquid that reaches the region that is outside the medium as compared with an ejection amount of the second liquid corresponding to image data to be printed, wherein an amount of the second liquid remaining in a liquid recovery section when a predetermined amount of the second liquid has been ejected is larger than an amount of the first liquid remaining in the liquid recovery section when the predetermined amount of the first liquid has been ejected.

It is these limitations, either alone or combined as claimed, that have not been taught, found, or suggested.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lamson D. Nguyen whose telephone number is 571-272-2259. The examiner can normally be reached on 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Luu can be reached on 571-272-7663. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

\*\*\*

ANSON NGUYEN RIMARY EXAMINER

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

## The application has been amended as follows:

• Claim 20: Line 2, change "outside the" to --outside a--.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lamson D. Nguyen whose telephone number is 571-272-2259. The examiner can normally be reached on 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Luu can be reached on 571-272-7663. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

MSON NOUVEN

Application/Control Number: 10/540,140

Art Unit: 2861

Page 3

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

\*\*\*

LIMSON NGUYEN
PLAMANY EXAMINER

O (83/0 8